BENQ MX710

A projector that's designed for every occasion – the BenQ MX710 comes with everything you need to deliver outstanding presentations. Featuring XGA resolution with 2700 ANSI lumens and 5300:1 ultra high contrast ratio, the MX710 keeps you lookin' great with ultra-smooth multi display, PC-less presentation and 3D ready projection!

Projection System	DLP® technology by Texas Instruments®
Native Resolution	XGA (1024 x 768)
Brightness*	2700 ANSI lumens
Contrast Ratio	5300:1 (Full on/Full off)
Keystone	Auto Keystone Vertical ± 40 Degree; Manual Vertical ± 40 Degree
Aspect Ratio	4:3 Native (5 selectiable aspect ratio)
Color	Full 16.7 million color palette
Lens	F=2.59~2.87
Zoom Ratio	Manual Zoom, 1.3:1
Image Size (Diagonal)	32” to 300”
Throw Ratio	1.5 to 1.97(65"@2M)
Lamp**	210W, 4000/5000 hrs (Normal/Economic mode)
Computer Compatibility	VGA(640 x 480) to UXGA (1600x1200)
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Video Compatibility	NTSC, PAL, SECAM
Horizontal Frequency	31-92 kHz
Vertical Scan Rate	48-120 Hz
Input Terminals	PC: Analog RGB: D-sub 15 pin x 2 LAN Networking: RJ-45 x1 (LAN Display) USB connector: Type A x 1 (USB thumb drive) USB Type mini B x1 (USB display) A/V: HDMI V1.3 x 1 S-Video: Mini Din 4 pin x 1 Composite Video: RCA x 1 (Shared with D-sub) Audio: Audio L/R : RCA x 1 Stereo Mini Jack x 1
Output Terminals	PC: D-sub 15 pin x 1 Variable Audio Out : Stereo Mini Jack x 1 Audio: 10W x 1
Control Terminal	Serial Connector : RS232 x 1 RJ45 x 1

Dimensions(W x H x D)	311 x 104 x 244mm
Weight	2.7kg (6.0lb)
Power Supply	100 to 240 VAC, 50/60 Hz
Power Consumption	300W, Standby < 1W
Audible Noise	30/26 dB (Normal/Economic mode)
On-Screen Display Languages	Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ German/ Greek/ Hungarian/ Indonesian/ Italian/ Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/Spanish/ Swedish/ Turkish/ Thai/ Traditional Chinese (26 Languages)
Picture Modes	PC Input: Dynamic Mode Presentation Mode sRGB Mode Cinema Mode User 1 Mode User 2 Mode A/V Input : Dynamic Mode Presentation Mode sRGB Mode Cinema Mode User 1 Mode User 2 Mode BrilliantColor™ Blank VIDI™
Functions	Panel Key Lock 3D Color Management Auto Off Crestron LAN Control Security Password Closed Captioning HDTV Compatible Digital Zoom (x2) High Altitude Mode Variable Audio Out "Q?" Hot Key for FAQ Quick Cooling 3D Ready Quick Auto Search Freeze
Accessories (Standard)	Quick Start Guide VGA(D-sub) cable Manual CD Power cord Remote control w/battery Soft carry case
Accessories (Optional)	Presentation Plus Spare Lamp Kit RS232 Cable Wireless Dongle

3D Support and Compatibility	*Please click to know more details about 3D Support and Compatibility.

Approved dealer: Wedgwood AV Ltd. Tel 01754 769967